

NEMESIS

DANTESW-1 32 Channel Switchover Unit



Clarity, reproduction and playback are vitally important to the quality of a production. As the emphasis is placed more and more on computer-based sound playback systems, the reliability of equipment and the seamless integration of audio is paramount to a successful production.

The Nemesis DANTESW-1 digital audio switchover unit is a reliable way to switch between two DANTE sound sources remotely via GPI or automatically as part of a changeover sequence direct from the Nemesis CCS-2 Computer Control Switch. The standard unit enables two 32 channel sources to be switched, the unit can be expanded with the addition of one DANTESW-EXP expansion card to enable two 64 channel sources to be switched and further expanded with the addition of another DANTESW-EXP card to enable two 96 channel sources to be switched.

This professional 1U 19", standard rack mount solution is mains powered, and can be remote controlled by other equipment in the Nemesis range such as the CCS-2 Control Switch, extension button boxes, or any other 3rd party systems.

Key features:

- > Seamless switching of Dante audio
- > Switches from two 32 channel Dante streams into a single 32 channel as standard
- > Upgradable to 64/64/64 with the addition of one rear slot DANTESW-EXP expansion card
- > Upgradable to 96/96/96 with the addition of two rear slot DANTESW-EXP expansion cards
- > All connectors on rear panel
- > Universal GPI control interface
- > Compatible with the Nemesis CCS-2 for multiple unit change over
- > Optional 2nd redundant DC PSU input
- > 1U format with panel indicators




The **Nemesis** range of show control hardware was created to address a specific gap in the market for powerful, reliable and flexible show control and audio playback solutions. Designed specifically for the challenging theatre and live entertainment environments, and manufactured to the highest British engineering standards, the **Nemesis** design objective is to provide a fully specified and highly resilient set of control and redundancy hardware, enabling engineers to achieve seamlessly integrated performances.

With **Nemesis** behind the scenes, the show will go on without unwanted interruptions and with ultimate control.

www.nemesis-audio.com

Signal Flow diagram for **Nemesis DANTESW-1/CCS-2 Switch** combined



Signal Flow diagram for Nemesis DANTESW-1/CCS-2 Switch combined (optional 2nd DANTE network)

